



## Soil, Water and Forage Testing Laboratory

**Phosphorus recommendations applicable for methods used by laboratory.  
Mehlich III by ICP only.**

### Phosphorus Soil Fertility Recommendations for Forage Crops

Mehlich III by ICP phosphorus (ppm or mg/kg) in Soil

updated on 3-30-2012: [soiltesting.tamu.edu](http://soiltesting.tamu.edu)

	0	5	10	15	20	25	30	35	40	45	50	55	60
	-----lbs P2O5/acre-----												
AFRICAN MILLET	55	50	40	35	30	25	20	15	10	5	0		
ALFALFA (IRRIGATED , ESTABLISHMENT)	130	120	105	95	85	75	65	50	40	30	20	10	0
ALFALFA (IRRIGATED / 6 TON/A , ANNUALLY)	130	120	105	95	85	75	65	50	40	30	20	10	0
ALFALFA (IRRIGATED 8-12 TON/A , ANNUALLY)	180	165	150	135	120	105	90	75	60	45	30	10	0
ALFALFA (NON-IRRIGATED , ANNUALLY)	80	70	65	60	50	45	40	30	25	20	10	5	0
ALFALFA (NON-IRRIGATED , ESTABLISHMENT)	80	70	65	60	50	45	40	30	25	20	10	5	0
BAHIA GRASS (1 HAY CUTTING PLUS GRAZING)	65	60	55	45	40	30	25	20	10	5	0		
BAHIA GRASS (3 HAY CUTTINGS)	80	70	60	55	45	40	30	20	15	5	0		
BAHIA GRASS (4 TO 6 HAY CUTTINGS)	110	100	90	75	65	55	45	30	20	10	0		
BAHIA GRASS ESTABLISHMENT	105	95	80	70	60	50	40	30	20	10	0		
BAHIA GRASS, GRAZING (1 A.U. PER 1 TO 1.5 ACRES)	65	60	55	45	40	30	25	20	10	5	0		
BAHIA GRASS, GRAZING (1 A.U. PER 1.5 TO 2 ACRES)	40	35	35	30	25	20	15	10	5	0	0		
BARLEY (HEAVY GRAZING ON SANDY SOILS)	105	95	80	70	60	50	40	30	20	10	0		
BARLEY (HEAVY GRAZING)	105	95	80	70	60	50	40	30	20	10	0		
BERMUDA (COMMON, MIDLAND) GRASS (4 TO 6 HAY CUTTINGS)	110	100	90	75	65	55	45	30	20	10	0		
BLUE PANIC (ESTABLISHMENT)	55	50	40	35	30	25	20	15	10	5	0		
BLUE PANIC (GRAZING)	55	50	40	35	30	25	20	15	10	5	0		
BLUESTEM (ESTABLISHMENT)	55	50	40	35	30	25	20	15	10	5	0		



## Soil, Water and Forage Testing Laboratory

**Phosphorus recommendations applicable for methods used by laboratory.  
Mehlich III by ICP only.**

### Phosphorus Soil Fertility Recommendations for Forage Crops

Mehlich III by ICP phosphorus (ppm or mg/kg) in Soil

updated on 3-30-2012: [soiltesting.tamu.edu](http://soiltesting.tamu.edu)

	0	5	10	15	20	25	30	35	40	45	50	55	60
	-----lbs P2O5/acre-----												
BLUESTEM (GRAZING OR HAY)	55	50	40	35	30	25	20	15	10	5	0		
BLUESTEM (IMPROVED-GRAZING OR HAY)	65	60	55	45	40	30	25	20	10	5	0		
BUFFEL GRASS (3 HAY CUTTINGS)	105	95	80	70	60	50	40	30	20	10	0		
BUFFEL GRASS (ESTABLISHMENT)	105	95	80	70	60	50	40	30	20	10	0		
BUFFEL GRASS (HEAVY GRAZING OR HAY PLUS GRAZING)	65	60	55	45	40	30	25	20	10	5	0		
BUFFEL GRASS (MODERATE GRAZING)	65	60	55	45	40	30	25	20	10	5	0		
CLOVER (PREPARED SEEDBED)	105	95	80	70	60	50	40	30	20	10	0		
CLOVER (SOD SEEDED)	105	95	80	70	60	50	40	30	20	10	0		
CLOVER WITH RYEGRASS OR SMALL GRAIN (PREPARED SEEDBED)	105	95	80	70	60	50	40	30	20	10	0		
CLOVER WITH RYEGRASS OR SMALL GRAIN (SOD SEEDED)	105	95	80	70	60	50	40	30	20	10	0		
COMMON BERMUDA GRASS (1 A.U. PER 1 TO 1.5 ACRES)	65	60	55	45	40	30	25	20	10	5	0		
COMMON BERMUDA GRASS (1 A.U. PER 1.5 TO 2 ACRES)	40	35	35	30	25	20	15	10	5	0	0		
COMMON BERMUDA GRASS (1 HAY CUTTING PLUS GRAZING , ANNUALLY)	65	60	55	45	40	30	25	20	10	5	0		
COMMON BERMUDA GRASS (3 HAY CUTTINGS , ANNUALLY)	80	70	60	55	45	40	30	20	15	5	0		
COMMON BERMUDA GRASS (ESTABLISHMENT)	105	95	80	70	60	50	40	30	20	10	0		
DALLIS GRASS (ESTABLISHMENT)	105	95	80	70	60	50	40	30	20	10	0		
DALLIS GRASS (GRAZING 1 A.U. PER 1.5 TO 2 ACRES)	65	60	55	45	40	30	25	20	10	5	0		
DALLIS GRASS(GRAZING 1 AU PER 1 TO 1.5 ACRES OR 1 HAY CUTTING PLUS GRAZING)	65	60	55	45	40	30	25	20	10	5	0		
DESOTO GRASS	55	50	40	35	30	25	20	15	10	5	0		



## Soil, Water and Forage Testing Laboratory

**Phosphorus recommendations applicable for methods used by laboratory.  
Mehlich III by ICP only.**

### Phosphorus Soil Fertility Recommendations for Forage Crops

Mehlich III by ICP phosphorus (ppm or mg/kg) in Soil

updated on 3-30-2012: [soiltesting.tamu.edu](http://soiltesting.tamu.edu)

	0	5	10	15	20	25	30	35	40	45	50	55	60
	-----lbs P2O5/acre-----												
FESCUE (ESTABLISHMENT)	80	70	60	55	45	40	30	20	15	5	0		
FESCUE , HAY OR GRAZING AT 3-4 AU/A	80	70	60	55	45	40	30	20	15	5	0		
FORAGE SORGHUM	55	50	40	35	30	25	20	15	10	5	0		
HAY GRAZER , 1 HAY CUTTING OR LIGHT GRAZING	55	50	40	35	30	25	20	15	10	5	0		
HAY GRAZER , 2 HAY CUTTINGS OR MODERATE GRAZING	55	50	40	35	30	25	20	15	10	5	0		
HAY GRAZER , 3 HAY CUTTINGS OR HEAVY GRAZING	105	90	80	70	60	50	35	25	15	5	0		
HEGARI	80	70	60	55	45	40	30	20	15	5	0		
HUBAN CLOVER	80	70	60	55	45	40	30	20	15	5	0		
IMPROVED AND HYBRID BERMUDA GRASS (1 HAY CUTTING PLUS GRAZING)	65	60	55	45	40	30	25	20	10	5	0		
IMPROVED AND HYBRID BERMUDA GRASS (1 HAY CUTTING-1.5 TONS/A)	50	45	40	35	30	25	20	15	10	5	0		
IMPROVED AND HYBRID BERMUDA GRASS (1 HAY CUTTING-2 TONS/A )	65	60	55	45	40	30	25	20	10	5	0		
IMPROVED AND HYBRID BERMUDA GRASS (1 HAY CUTTING-2.5 TONS/A)	80	70	60	55	45	40	30	20	15	5	0		
IMPROVED AND HYBRID BERMUDA GRASS (1 HAY CUTTING-3 TONS/A)	100	90	80	70	60	50	40	30	20	10	0		
IMPROVED AND HYBRID BERMUDA GRASS (2 HAY CUTTINGS-1.5 TONS/A AVG.)	75	65	60	50	45	35	30	20	15	5	0		
IMPROVED AND HYBRID BERMUDA GRASS (2 HAY CUTTINGS-2 TONS/A AVG.)	85	75	70	60	50	40	35	25	15	5	0		
IMPROVED AND HYBRID BERMUDA GRASS (2 HAY CUTTINGS-2.5 TONS/A AVG.)	115	100	90	80	65	55	45	30	20	10	0		
IMPROVED AND HYBRID BERMUDA GRASS (2 HAY CUTTINGS-3 TONS/A AVG.)	140	125	110	95	80	70	55	40	25	10	0		
IMPROVED AND HYBRID BERMUDA GRASS (3 HAY CUTTINGS-1.5 TONS/A AVG.)	100	90	80	70	60	50	40	30	20	10	0		
IMPROVED AND HYBRID BERMUDA GRASS (3 HAY CUTTINGS-2 TONS/A AVG.)	125	110	100	85	75	60	50	35	25	10	0		



## Soil, Water and Forage Testing Laboratory

**Phosphorus recommendations applicable for methods used by laboratory.  
Mehlich III by ICP only.**

### Phosphorus Soil Fertility Recommendations for Forage Crops

Mehlich III by ICP phosphorus (ppm or mg/kg) in Soil

updated on 3-30-2012: [soiltesting.tamu.edu](http://soiltesting.tamu.edu)

	0	5	10	15	20	25	30	35	40	45	50	55	60
	-----lbs P2O5/acre-----												
IMPROVED AND HYBRID BERMUDA GRASS (3 HAY CUTTINGS-2.5 TONS/A AVG.)	150	135	120	105	90	75	60	45	30	15	0		
IMPROVED AND HYBRID BERMUDA GRASS (3 HAY CUTTINGS-3 TONS/A AVG.)	175	155	140	120	105	85	70	50	35	15	0		
IMPROVED AND HYBRID BERMUDA GRASS (4 HAY CUTTINGS-1.5 TONS/A AVG.)	125	110	100	85	75	60	50	35	25	10	0		
IMPROVED AND HYBRID BERMUDA GRASS (4 HAY CUTTINGS-2 TONS/A AVG.)	165	150	135	115	100	80	65	50	30	15	0		
IMPROVED AND HYBRID BERMUDA GRASS (4 HAY CUTTINGS-2.5 TONS/A AVG.)	185	165	145	125	110	90	70	55	35	15	0		
IMPROVED AND HYBRID BERMUDA GRASS (4 HAY CUTTINGS-3 TONS/A AVG.)	205	180	160	140	120	100	80	60	40	20	0		
IMPROVED AND HYBRID BERMUDA GRASS (5 HAY CUTTINGS-2 TONS/A AVG.)	200	180	160	140	120	100	80	60	40	20	0		
IMPROVED AND HYBRID BERMUDA GRASS (5 HAY CUTTINGS-2.5 TONS/A AVG.)	225	200	180	155	135	110	90	65	45	20	0		
IMPROVED AND HYBRID BERMUDA GRASS (5 HAY CUTTINGS-3 TONS/A AVG.)	245	220	195	170	145	120	95	70	45	20	0		
IMPROVED AND HYBRID BERMUDA GRASS (6 HAY CUTTINGS-2 TONS/A AVG.)	240	215	190	165	140	120	95	70	45	20	0		
IMPROVED AND HYBRID BERMUDA GRASS (6 HAY CUTTINGS-2.5 TONS/A AVG.)	265	235	210	185	155	130	105	75	50	25	0		
IMPROVED AND HYBRID BERMUDA GRASS (6 HAY CUTTINGS-3 TONS/A AVG.)	285	255	225	195	170	140	110	85	55	25	0		
IMPROVED AND HYBRID BERMUDA GRASS (7 HAY CUTTINGS-2 TONS/A AVG.)	275	245	220	190	165	135	110	80	55	25	0		
IMPROVED AND HYBRID BERMUDA GRASS (7 HAY CUTTINGS-2.5 TONS/A AVG.)	300	270	240	210	180	150	120	90	60	30	0		
IMPROVED AND HYBRID BERMUDA GRASS (7 HAY CUTTINGS-3 TONS/A AVG.)	325	290	260	225	195	160	130	95	65	30	0		
IMPROVED AND HYBRID BERMUDA GRASS (ESTABLISHMENT)	105	95	80	70	60	50	40	30	20	10	0		
IMPROVED AND HYBRID BERMUDA GRASS (IRRIGATED , ESTABLISHMENT)	105	95	80	70	60	50	40	30	20	10	0		
IMPROVED AND HYBRID BERMUDA GRASS, GRAZING	65	60	55	45	40	30	25	20	10	5	0		
JOHNSON GRASS , 1 HAY CUTTING OR LIGHT GRAZING	55	50	40	35	30	25	20	15	10	5	0		



## Soil, Water and Forage Testing Laboratory

Phosphorus recommendations applicable for methods used by laboratory.  
Mehlich III by ICP only.

### Phosphorus Soil Fertility Recommendations for Forage Crops

Mehlich III by ICP phosphorus (ppm or mg/kg) in Soil

updated on 3-30-2012: [soiltesting.tamu.edu](http://soiltesting.tamu.edu)

	0	5	10	15	20	25	30	35	40	45	50	55	60
	-----lbs P2O5/acre-----												
JOHNSON GRASS , 2 HAY CUTTINGS OR MODERATE GRAZING	55	50	40	35	30	25	20	15	10	5	0		
JOHNSON GRASS , 3 HAY CUTTINGS OR HEAVY GRAZING	105	95	80	70	60	50	40	30	20	10	0		
KLEIN GRASS (1 AU PER 2 TO 3 ACRES OR HAY PRODUCTION)	55	50	40	35	30	25	20	15	10	5	0		
KLEIN GRASS (ESTABLISHMENT)	55	50	40	35	30	25	20	15	10	5	0		
KLEIN GRASS , 1 AU PER 1.25 TO 1.75 ACRE OR HAY PRODUCTION	80	70	60	55	45	40	30	20	15	5	0		
LOVE GRASS (ESTABLISHMENT)	55	50	40	35	30	25	20	15	10	5	0		
LOVE GRASS , GRAZING OR HAY	55	50	40	35	30	25	20	15	10	5	0		
MILLET , 2 HAY CUTTINGS OR MODERATE GRAZING	65	60	55	45	40	30	25	20	10	5	0		
MILLET , LIGHT GRAZING OR 1 HAY CUTTING	55	50	40	35	30	25	20	15	10	5	0		
MINIMUM REQUIREMENT: ALFALFA	105	95	80	70	60	50	40	30	20	10	0		
MINIMUM REQUIREMENT: BLUESTEM GRASS	55	50	40	35	30	25	20	15	10	5	0		
MINIMUM REQUIREMENT: CLOVER	105	95	80	70	60	50	40	30	20	10	0		
MINIMUM REQUIREMENT: COOL SEASON PERENNIAL GRASS	55	50	40	35	30	25	20	15	10	5	0		
MINIMUM REQUIREMENT: PEAS	80	70	60	55	45	40	30	20	15	5	0		
MINIMUM REQUIREMENT: S-1 CLOVER OR WHITE CLOVER	105	95	80	70	60	50	40	30	20	10	0		
MINIMUM REQUIREMENT: VETCH OR LESPEDZA	80	70	60	55	45	40	30	20	15	5	0		
MINIMUM REQUIREMENT: WARM SEASON PERENNIAL GRASS	55	50	40	35	30	25	20	15	10	5	0		
NK-37 OR MIDLAND BERMUDA GRASS (ESTABLISHMENT)	55	50	40	35	30	25	20	15	10	5	0		
NK-37 OR MIDLAND BERMUDA GRASS (GRAZING)	80	70	60	55	45	40	30	20	15	5	0		



## Soil, Water and Forage Testing Laboratory

**Phosphorus recommendations applicable for methods used by laboratory.  
Mehlich III by ICP only.**

### Phosphorus Soil Fertility Recommendations for Forage Crops

Mehlich III by ICP phosphorus (ppm or mg/kg) in Soil

updated on 3-30-2012: [soiltesting.tamu.edu](http://soiltesting.tamu.edu)

	0	5	10	15	20	25	30	35	40	45	50	55	60
	-----lbs P2O5/acre-----												
NK-37 OR MIDLAND BERMUDA GRASS , 2 TO 3 HAY CUTTINGS	105	95	80	70	60	50	40	30	20	10	0		
OATS (HEAVY GRAZING OR GRAZING PLUS HAY OR GRAIN)	80	70	60	55	45	40	30	20	15	5	0		
OATS (LIGHT GRAZING)	55	50	40	35	30	25	20	15	10	5	0		
OATS (MODERATE GRAZING)	80	70	60	55	45	40	30	20	15	5	0		
OATS ,HAY ONLY (2 -3 TONS/A)	55	50	40	35	30	25	20	15	10	5	0		
RANGE GRASS (ESTABLISHMENT)	55	50	40	35	30	25	20	15	10	5	0		
RANGE GRASS (GRAZING)	55	50	40	35	30	25	20	15	10	5	0		
RHODES GRASS	65	60	55	45	40	30	25	20	10	5	0		
RHODES GRASS (ESTABLISHMENT)	105	95	80	70	60	50	40	30	20	10	0		
RYE , HEAVY GRAZING	80	70	60	55	45	40	30	20	15	5	0		
RYE , MODERATE GRAZING	55	50	40	35	30	25	20	15	10	5	0		
RYEGRASS (SOD SEEDED)	105	95	80	70	60	50	40	30	20	10	0		
RYEGRASS , HEAVY GRAZING	80	70	60	55	45	40	30	20	15	5	0		
RYEGRASS , MODERATE GRAZING	55	50	40	35	30	25	20	15	10	5	0		
SILAGE (CORN 11-15 TON/A)	105	95	80	70	60	50	40	30	20	10	0		
SILAGE (CORN 16-20 TON/A)	105	95	80	70	60	50	40	30	20	10	0		
SILAGE (CORN 21-25 TON/A)	105	95	80	70	60	50	40	30	20	10	0		
SILAGE (CORN 26-30 TON/A)	155	140	120	105	90	75	60	45	30	15	0		
SILAGE (CORN 7 TO 10 TON/A)	80	70	60	55	45	40	30	20	15	5	0		



## Soil, Water and Forage Testing Laboratory

Phosphorus recommendations applicable for methods used by laboratory.  
Mehlich III by ICP only.

### Phosphorus Soil Fertility Recommendations for Forage Crops

Mehlich III by ICP phosphorus (ppm or mg/kg) in Soil

updated on 3-30-2012: [soiltesting.tamu.edu](http://soiltesting.tamu.edu)

	0	5	10	15	20	25	30	35	40	45	50	55	60
	-----lbs P2O5/acre-----												
SILAGE (SORGHUM 11-15 TON/A)	105	95	80	70	60	50	40	30	20	10	0		
SILAGE (SORGHUM 16-20 TON/A)	105	95	80	70	60	50	40	30	20	10	0		
SILAGE (SORGHUM 21-25 TON/A)	105	95	80	70	60	50	40	30	20	10	0		
SILAGE (SORGHUM 26-30 TON/A)	130	115	100	90	75	65	50	35	25	10	0		
SILAGE (SORGHUM 7 TO 10 TON/A)	80	70	60	55	45	40	30	20	15	5	0		
SMALL GRAIN AND RYEGRASS (INTENSIVE GRAZING)	80	70	60	55	45	40	30	20	15	5	0		
SMALL GRAIN AND RYEGRASS (MODERATE GRAZING)	80	70	60	55	45	40	30	20	15	5	0		
SMALL GRAIN AND RYEGRASS (SOD SEEDED)	105	95	80	70	60	50	40	30	20	10	0		
SORGHUM ALMUM	55	50	40	35	30	25	20	15	10	5	0		
SUDAN - SORGHUM HYBRID , 1 HAY CUTTING OR LIGHT GRAZING	55	50	40	35	30	25	20	15	10	5	0		
SUDAN - SORGHUM HYBRID , 2 HAY CUTTINGS OR MODERATE GRAZING	55	50	40	35	30	25	20	15	10	5	0		
SUDAN - SORGHUM HYBRID , 3 HAY CUTTINGS OR HEAVY GRAZING	105	95	80	70	60	50	40	30	20	10	0		
SUDAN GRASS , 1 HAY CUTTING OR LIGHT GRAZING	55	50	40	35	30	25	20	15	10	5	0		
SUDAN GRASS , 2 HAY CUTTINGS OR MODERATE GRAZING	55	50	40	35	30	25	20	15	10	5	0		
SUDAN GRASS , 3 HAY CUTTINGS OR HEAVY GRAZING	105	95	80	70	60	50	40	30	20	10	0		
SWITCH GRASS	55	50	40	35	30	25	20	15	10	5	0		
SWITCH GRASS (ESTABLISHMENT)	55	50	40	35	30	25	20	15	10	5	0		
TRITICALE GRAZING	80	70	60	55	45	40	30	20	15	5	0		
VETCH (PREPARED SEEDBED)	105	95	80	70	60	50	40	30	20	10	0		



## Soil, Water and Forage Testing Laboratory

Phosphorus recommendations applicable for methods used by laboratory.  
Mehlich III by ICP only.

### Phosphorus Soil Fertility Recommendations for Forage Crops

Mehlich III by ICP phosphorus (ppm or mg/kg) in Soil

updated on 3-30-2012: [soiltesting.tamu.edu](http://soiltesting.tamu.edu)

	0	5	10	15	20	25	30	35	40	45	50	55	60
	-----lbs P2O5/acre-----												
VETCH (SOD SEEDED)	105	95	80	70	60	50	40	30	20	10	0		
VETCH WITH RYEGRASS OR SMALL GRAIN (PREPARED SEEDBED)	105	95	80	70	60	50	40	30	20	10	0		
WHEAT (HEAVY GRAZING)	105	95	80	70	60	50	40	30	20	10	0		
WHEAT (LIGHT GRAZING)	80	70	60	55	45	40	30	20	15	5	0		
WHEAT (MODERATE GRAZING)	105	95	80	70	60	50	40	30	20	10	0		
WHEAT GRASS , JOSE (HEAVY GRAZING)	130	115	100	90	75	65	50	35	25	10	0		
WHEAT GRASS , JOSE (LIGHT GRAZING)	80	70	60	55	45	40	30	20	15	5	0		
WHEAT GREENCHOP (2 WET TONS/A-75% MOISTURE)	55	50	40	35	30	25	20	15	10	5	0		
WHEAT GREENCHOP (3 WET TONS/A-75% MOISTURE)	55	50	40	35	30	25	20	15	10	5	0		
WHEAT GREENCHOP (4 WET TONS/A-75% MOISTURE)	65	60	55	45	40	30	25	20	10	5	0		
WHEAT GREENCHOP (5 WET TONS/A-75% MOISTURE)	65	60	55	45	40	30	25	20	10	5	0		
WHEAT GREENCHOP (6 WET TONS/A-75% MOISTURE)	80	70	60	55	45	40	30	20	15	5	0		
WHEAT GREENCHOP (7 WET TONS/A-75% MOISTURE)	80	70	60	55	45	40	30	20	15	5	0		
WHEAT GREENCHOP (8 WET TONS/A-75% MOISTURE)	80	70	60	55	45	40	30	20	15	5	0		
WHEAT HAY (1 TON/A)	55	50	40	35	30	25	20	15	10	5	0		
WHEAT HAY (1.5 TON/A)	55	50	40	35	30	25	20	15	10	5	0		
WHEAT HAY (2 TON/A)	65	60	55	45	40	30	25	20	10	5	0		
WHEAT HAY (2.5 TON/A)	65	60	55	45	40	30	25	20	10	5	0		
WHEAT HAY (3 TON/A)	80	70	60	55	45	40	30	20	15	5	0		





**Soil, Water and Forage Testing Laboratory**

**Phosphorus recommendations applicable for methods used by laboratory.**

**Mehlich III by ICP only.**

**Phosphorus Soil Fertility Recommendations for Forage Crops**

Mehlich III by ICP phosphorus (ppm or mg/kg) in Soil

updated on 3-30-2012: [soiltesting.tamu.edu](http://soiltesting.tamu.edu)

	0	5	10	15	20	25	30	35	40	45	50	55	60
	-----lbs P2O5/acre-----												
WHEAT HAY (3.5 TON/A)	80	70	60	55	45	40	30	20	15	5	0		
WHEAT HAY (4 TON/A)	55	50	40	35	30	25	20	15	10	5	0		
WHEAT SILAGE (3 WET TONS-65% MOISTURE)	55	50	40	35	30	25	20	15	10	5	0		
WHEAT SILAGE (4.5 WET TONS-65% MOISTURE)	65	60	55	45	40	30	25	20	10	5	0		
WHEAT SILAGE (6 WET TONS-65% MOISTURE)	65	60	55	45	40	30	25	20	10	5	0		
WHEAT SILAGE (7.5 WET TONS-65% MOISTURE)	80	70	60	55	45	40	30	20	15	5	0		
WHEAT SILAGE (9 WET TONS-65% MOISTURE)	80	70	60	55	45	40	30	20	15	5	0		