



Soil, Water and Forage Testing Laboratory

Nitrogen recommendations applicable for methods used by laboratory.

Nitrogen Soil Fertility Recommendations for Oil Crops

updated on 3-30-2012: soiltesting.tamu.edu

SUNFLOWERS

1M KCl, Cd-Reduction Nitrate-N (ppm or mg/kg) in Soil

0	2	4	6	8	10	12	14	16	18	20
-----lbs N/acre-----										
30	25	20	15	10	10	5	0			



Soil, Water and Forage Testing Laboratory

Nitrogen recommendations applicable for methods used by laboratory.

Nitrogen Soil Fertility Recommendations for Oil Crops

1M KCl, Cd-Reduction Nitrate-N (ppm or mg/kg) in Soil

updated on 3-30-2012: soiltesting.tamu.edu

80	90	100	110	120	130	140	150
-----lbs N/acre-----							

CANOLA (1000 LBS/A)

CANOLA (1250 LBS/A)

CANOLA (1500 LBS/A)

CANOLA (1750 LBS/A)

CANOLA (2000 LBS/A)

CANOLA (2250 LBS/A)

CANOLA (2500 LBS/A)

CANOLA (2750 LBS/A)

0

CANOLA (3000 LBS/A)

5 0

CANOLA (3250 LBS/A)

20 0

CANOLA (3500 LBS/A)

35 15 0

CANOLA (3750 LBS/A)

40 20 0

CANOLA (4000 LBS/A)

50 30 10 0

FLAX

GUAR

PEANUTS , DRYLAND

PEANUTS , IRRIGATED

SESAME

SOYBEANS



Soil, Water and Forage Testing Laboratory

Nitrogen recommendations applicable for methods used by laboratory.

Nitrogen Soil Fertility Recommendations for Oil Crops

Additional comments which may appear on soil test reports

updated on 3-30-2012: soiltesting.tamu.edu

CANOLA (1000 LBS/A)

Apply 1/3 of recommended nitrogen at preplant and remainder in early spring.

CANOLA (1250 LBS/A)

Apply 1/3 of recommended nitrogen at preplant and remainder in early spring.

CANOLA (1500 LBS/A)

Apply 1/3 of recommended nitrogen at preplant and remainder in early spring.

CANOLA (1750 LBS/A)

Apply 1/3 of recommended nitrogen at preplant and remainder in early spring.

CANOLA (2000 LBS/A)

Apply 1/3 of recommended nitrogen at preplant and remainder in early spring.

CANOLA (2250 LBS/A)

Apply 1/3 of recommended nitrogen at preplant and remainder in early spring.

CANOLA (2500 LBS/A)

Apply 1/3 of recommended nitrogen at preplant and remainder in early spring.

CANOLA (2750 LBS/A)

Apply 1/3 of recommended nitrogen at preplant and remainder in early spring.

CANOLA (3000 LBS/A)

Apply 1/3 of recommended nitrogen at preplant and remainder in early spring.

CANOLA (3250 LBS/A)

Apply 1/3 of recommended nitrogen at preplant and remainder in early spring.

CANOLA (3500 LBS/A)

Apply 1/3 of recommended nitrogen at preplant and remainder in early spring.

CANOLA (3750 LBS/A)

Apply 1/3 of recommended nitrogen at preplant and remainder in early spring.

CANOLA (4000 LBS/A)

Apply 1/3 of recommended nitrogen at preplant and remainder in early spring.

FLAX

GUAR

PEANUTS , DRYLAND

PEANUTS , IRRIGATED

SESAME

SOYBEANS